



## Supplementary Material

# Short Communication: Isolation and Identification of *Listeria Monocytogenes* from Raw Vegetables and Meat Sold in Quetta Pakistan

Abdul Samad<sup>1</sup>, Raheela Asmat<sup>2</sup>, Muhammad Naeem<sup>1</sup>, Hamida Ali<sup>3</sup>, Mohammad Zahid Mustafa<sup>1</sup>, Ferhat Abbas<sup>1</sup>, Jannat Raza<sup>1,3</sup> and Muhammad Tauseef Asmat<sup>1\*</sup>

<sup>1</sup>Center for Advanced studies in Vaccinology and Biotechnology (CASVAB), University of Balochistan, Quetta, Pakistan


<sup>2</sup>Bolan Medical College Quetta

<sup>3</sup>Department of Zoology, Sardar Bahadur Khan Women University Quetta

\* Corresponding author: tauseefcasvab@gmail.com

0030-9923/2020/0002-0817 \$ 9.00/0

Copyright 2020 Zoological Society of Pakistan



Supplementary Fig. 1. Agarose gel (2%) electrophoresis shows amplification fragments of virulent genes of *Listeria monocytogenes*. Lane 1 positive amplification of *actA*, *hly*, *inlC*, *inlJ* and *iap*. Lane 2 and 6 positive amplification of *actA*, *hly*, *inlA*, *inlB*, and *iap*. Lanes 3, 4 and 9 positive amplification of *hly*, *inlA*, *inlB* and *iap*. Lane 5 positive amplification of *hly*, *inlA*, *inlC*, *inlJ* and *iap*. Lane 7 and 8 positive amplification of *hly*, *inlA*, *inlB*, *inlJ* and *iap*. +C: Positive control, -C: Negative Control, M: Molecular Markers.

