Supplementary Material

Tupaia belangeri (Wagner, 1841), a Northern Treeshrew is an Animal Model of Metabolic Healthy Obesity






Yanfei Cai¹, Jiahong Feng¹ and Wanlong Zhu^{1,2,3}*

¹Key Laboratory of Ecological Adaptive Evolution and Conservation on Animals-Plants in Southwest Mountain Ecosystem of Yunnan Province Higher Institutes College, School of Life Sciences, Yunnan Normal University, Kunming, Yunnan, China.

²Engineering Research Center of Sustainable Development and Utilization of Biomass Energy Ministry of Education, Yunnan Normal University, Kunming, Yunnan, China.

³Key Laboratory of Yunnan Province for Biomass Energy and Environment Biotechnology, 1st Yuhua District, Chenggong County, Kunming City, Yunnan Province, People's Republic of China, 650500



Supplementary Fig. S1. Infrared image of control and obesity group T. belangeri. Data are presented as mean \pm SEM; N=14 per group except G; statistical significance is indicated: *P < 0.05, **p < 0.01, ****p < 0.001. GTT, glucose tolerance test; ITT, insulin tolerance test.



Supplementary Fig. S2. Surface map of liver in control and obesity group.

^{*} Corresponding author: zwl_8307@163.com 0030-9923/2024/0003-1359 \$ 9.00/0



Copyright 2024 by the authors. Licensee Zoological Society of Pakistan.

This article is an open access 3 article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).